

Certificate No: **TAA00001ZU**

TYPE APPROVAL CERTIFICATE

This is to certify: That the Electrical Measuring and Protection Relay with type designation(s) ER 76 1000000X, ER 76 2000000X Issued to FISCHER Mess- und Regeltechnik GmbH Bad Salzuflen, Nordrhein-Westfalen, Germany is found to comply with DNV GL rules for classification - Ships, offshore units, and high speed and light craft **Application:** Product(s) approved by this certificate is/are accepted for installation on all vessels classed by DNV GL. Location classes: Temperature Humidity В Vibration **EMC Enclosure** A (IP20) Issued at Hamburg on 2018-09-26 for **DNV GL** This Certificate is valid until 2023-09-25. DNV GL local station: Essen

This Certificate is subject to terms and conditions overleaf. Any significant change in design or construction may render this Certificate invalid. The validity date relates to the Type Approval Certificate and not to the approval of equipment/systems installed.



Approval Engineer: Holger Jansen

Form code: TA 251 Revision: 2016-12 www.dnvgl.com Page 1 of 3

Joannis Papanuskas Head of Section

Job Id: **262.1-029417-1** Certificate No: **TAA00001ZU**

Product description

Type: ER 76 1000000X, ER 76 2000000X

Level Limit Control Relay for Rod Electrodes

ER 76 1000000X for one channel ER 76 2000000X for two channels

Output (ER 76 1): 1 common, 1 NO, 1NC – contact Output (ER 76 2): 1 common, 2 NO, 2NC – contacts

Contact rating (maximal): 250V AC, 2A

250VA / 50W

Input per channel: 1 common, 1 min., 1 max.

Power supply: X = 1: 230 V AC

X = 2: 115 V AC X = 3: 48 V AC X = 4: 24 V AC

Application/Limitation

The Type Approval covers hardware listed under Product description. When the hardware is used in applications to be classed by DNV GL, documentation for the actual application is to be submitted for approval by the manufacturer of the application system in each case. Reference is made to DNV GL rules for classification of ships Pt.4 Ch.9 Control and Monitoring Systems.

Type Approval documentation

Technical data: ER76

Drawings acc. to Master data lists 046539.** (2008-01-15) and 46540.** (2008-01-17)

Test report: Phoenix no. 2077 (1997-04-09)

Fischer (1997-05-26) + Supplement FH Flensburg (2003-04-17)

Type Approval Assessment Report 2018-08-28

Tests carried out

Applicable tests according to Class Guideline DNVGL-CG-0339, Edition November 2016.

Marking of product

The products to be marked with:

- manufacturer name
- type name
- serial number

Form code: TA 251 Revision: 2016-12 www.dnvgl.com Page 2 of 3

Job Id: **262.1-029417-1** Certificate No: **TAA00001ZU**

Periodical assessment

The scope of the periodical assessment is to verify that the conditions stipulated for the type are complied with, and that no alterations are made to the product design or choice of systems, software versions, components and/or materials.

The main elements of the assessment are:

- Ensure that type approved documentation is available
- Inspection of factory samples, selected at random from the production line (where practicable)
- Review of production and inspection routines, including test records from product sample tests and control routines
- Ensuring that systems, software versions, components and/or materials used comply with type approved documents and/or referenced system, software, component and material specifications
- Review of possible changes in design of systems, software versions, components, materials and/or performance, and make sure that such changes do not affect the type approval given
- Ensuring traceability between manufacturer's product type marking and the type approval certificate

Periodical assessment is to be performed after 2 years and after 3.5 years. A renewal assessment will be performed at renewal of the certificate.

END OF CERTIFICATE

Form code: TA 251 Revision: 2016-12 www.dnvgl.com Page 3 of 3